

Safety Data Sheet



Rodilon® Pro Rodenticide

Version 2 / AUS
102000023729

1/9
Revision Date: 15.09.2017
Print Date: 15.09.2017

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Rodilon® Pro Rodenticide
Product code (UVP) 79855036

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Rodenticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888

Telefax (03) 9248 6800

Responsible Department 1800 804 479 Technical Information Service

Website www.environmentalscience.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Chronic aquatic toxicity: Category 3
H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to specific Australian legislation

No hazard label for supply/use required.

2.3 Other hazards

No other hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Difethialone 0.0025 % w/w
Bait (ready for use) (RB)

Chemical name	CAS-No.	Concentration [%]
---------------	---------	-------------------



Rodilon® Pro Rodenticide

Version 2 / AUS
102000023729

2/9
Revision Date: 15.09.2017
Print Date: 15.09.2017

Difethialone	104653-34-1	0.0025
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely. Keep under medical supervision for at least 48 hours.
Skin contact	Wash off immediately with soap and plenty of water. Take off contaminated clothing and shoes immediately. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	If large amounts are ingested, the following symptoms may occur: Bloody urine, Bloody faeces, Gum bleeding, Nose bleeding, Bruising and haemorrhage formation Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.
Treatment	Symptoms of poisoning may appear several hours later. Keep under medical supervision for at least 48 hours. Systemic treatment: Monitor: blood picture. Monitor: prothrombin time/ INR. Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions. Recovery is spontaneous and without sequelae. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Symptoms of poisoning may appear several hours later.



Rodilon® Pro Rodenticide

Version 2 / AUS
102000023729

3/9
Revision Date: 15.09.2017
Print Date: 15.09.2017

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem Code Not applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Collect and transfer the product into a properly labelled and tightly closed container.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly



Rodilon® Pro Rodenticide

Version 2 / AUS
102000023729

4/9
Revision Date: 15.09.2017
Print Date: 15.09.2017

before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

No known occupational limit values.

8.2 Exposure controls

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 5 suit.
If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

General protective measures

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.



Rodilon® Pro Rodenticide

Version 2 / AUS
102000023729

5/9
Revision Date: 15.09.2017
Print Date: 15.09.2017

Engineering Controls

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	pasty
Colour	blue
Flash point	Not applicable
Water solubility	Not dispersible
Partition coefficient: n-octanol/water	Difethialone: log Pow: 6.3
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 2,500 mg/kg
Acute inhalation toxicity	During intended and foreseen applications, no respirable aerosol is formed.



Rodilon® Pro Rodenticide

Version 2 / AUS
102000023729

6/9
Revision Date: 15.09.2017
Print Date: 15.09.2017

Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin irritation	No skin irritation (Rabbit)
Eye irritation	No eye irritation (Rabbit)
Sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

Assessment mutagenicity

Difethialone was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Difethialone is not considered carcinogenic.

Assessment developmental toxicity

Difethialone did not cause developmental toxicity in rats and rabbits.

Assessment STOT Specific target organ toxicity – single exposure

Difethialone: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Difethialone caused inhibition of blood coagulation possibly causing hemorrhagic syndrome in animal studies. The toxic effects of Difethialone are related to antivitamin K properties.

Aspiration hazard

Based on available data, the classification criteria are not met.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity



Rodilon® Pro Rodenticide

Version 2 / AUS
102000023729

7/9
Revision Date: 15.09.2017
Print Date: 15.09.2017

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 51 µg/l Exposure time: 96 h
Chronic toxicity to fish	Oncorhynchus mykiss (rainbow trout) NOEC: 22 µl/l
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 4,4 µg/l Exposure time: 48 h
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia magna (Water flea)): 3 µg/l
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 65 µg/l Biomass; Exposure time: 96 h NOEC (Raphidocelis subcapitata (freshwater green alga)) 32 µg/l

12.2 Persistence and degradability

Biodegradability Difethialone:
Not rapidly biodegradable

12.3 Bioaccumulative potential

Bioaccumulation Difethialone: Bioconcentration factor (BCF) 39,974
Bioaccumulative

12.4 Mobility in soil

Mobility in soil Difethialone: Immobile in soil

12.5 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Shake empty container onto baiting site. Do not dispose of undiluted chemicals on-site. Break, crush or puncture and bury empty containers in a local authority landfill. If not available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots.

SECTION 14. TRANSPORT INFORMATION

According to national and international transport regulations not classified as dangerous goods.

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 69086



Rodilon® Pro Rodenticide

Version 2 / AUS
102000023729

8/9
Revision Date: 15.09.2017
Print Date: 15.09.2017

SECTION 16. OTHER INFORMATION

Trademark information Rodilon® is a registered trademark of the Bayer Group.

Note:

This data sheet has been generated according to the safety data sheet supplied by the manufacturer of the product.

LIPHATECH SAS

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

Safety Data Sheet



Rodilon® Pro Rodenticide

Version 2 / AUS
102000023729

9/9
Revision Date: 15.09.2017
Print Date: 15.09.2017

SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS