

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 24.07.2018
Product: **Seclira Pressurised Fly Bait**

Version: 1.0

(30679970/SDS_CPA_AU/EN)

Date of print 25.07.2018

1. Substance/preparation and manufacturer/supplier identification

Seclira Pressurised Fly Bait

Use: crop protection product, insecticide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)
Level 12, 28 Freshwater Place Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Specific target organ toxicity — single exposure: Cat. 3 (Vapours may cause drowsiness and dizziness.)

Hazardous to the aquatic environment - acute: Cat. 3

Hazardous to the aquatic environment - chronic: Cat. 3

Aerosols: Cat. 2

Label elements and precautionary statement:

Pictogram:



BASF Safety data sheet
Date / Revised: 24.07.2018
Product: **Seclira Pressurised Fly Bait**

Version: 1.0

(30679970/SDS_CPA_AU/EN)

Date of print 25.07.2018

Signal Word:
Warning

Hazard Statement:

H223	Flammable aerosol.
H229	Pressurized container: May burst if heated.
H336	May cause drowsiness or dizziness.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statement:

P102	Keep out of reach of children.
------	--------------------------------

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe spray.
P271	Use only outdoors or in a well-ventilated area.

Precautionary Statements (Response):

P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Bait

Hazardous ingredients

dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Content (W/W): 1 %

CAS Number: 165252-70-0

Acute Tox.: Cat. 4 (oral)

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1

acetone

Content (W/W): 25.348 %

CAS Number: 67-64-1

Flam. Liq.: Cat. 2

Eye Dam./Irrit.: Cat. 2A

STOT SE: Cat. 3 (drowsiness and dizziness)

dimethyl ether

Content (W/W): 14.95 %

CAS Number: 115-10-6

Press. Gas: Cat. Liquef. Gas

Flam. gases (incl. chem. unstable gases): Cat. 1

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Specific hazards:

carbon monoxide, carbon dioxide, nitrogen oxides

(30679970/SDS_CPA_AU/EN)

Date of print 25.07.2018

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures above: 54 °C

The packed product will be damaged by high temperatures. The packed product must be protected against exceeding the indicated temperature.

8. Exposure controls and personal protection

Components with occupational exposure limits

acetone, 67-64-1;

TWA value 250 ppm (ACGIHTLV)
STEL value 500 ppm (ACGIHTLV)
TWA value 1,185 mg/m³ ; 500 ppm (AU NOEL)
STEL value 2,375 mg/m³ ; 1,000 ppm (AU NOEL)
TWA value 1,185 mg/m³ ; 500 ppm (OEL (AU))
STEL value 2,375 mg/m³ ; 1,000 ppm (OEL (AU))

dimethyl ether, 115-10-6;

STEL value 950 mg/m³ ; 500 ppm (AU NOEL)
TWA value 760 mg/m³ ; 400 ppm (AU NOEL)
STEL value 950 mg/m³ ; 500 ppm (OEL (AU))
TWA value 760 mg/m³ ; 400 ppm (OEL (AU))

Personal protective equipment

Respiratory protection:
Respiratory protection not required.

Hand protection:
Hand protection not required.

Eye protection:
Eye protection not required.

Body protection:
Body protection not required.

General safety and hygiene measures:
Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid
Colour: pale straw yellow
Odour: of acetone
Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 8 - 10
(deionized water, 1 %(m), 25 °C)

Melting temperature: The product has not been tested.

Boiling point: -23.7 °C
Information applies to the solvent.

BASF Safety data sheet
Date / Revised: 24.07.2018
Product: **Seclira Pressurised Fly Bait**

Version: 1.0

(30679970/SDS_CPA_AU/EN)

Date of print 25.07.2018

Flash point: -41 °C
Information applies to the solvent.

Evaporation rate: not applicable

Flammability (solid/gas): Extremely flammable.
Lower explosion limit: 3.3 %(V)
Information applies to the solvent.

Upper explosion limit: 26.2 %(V)
Information applies to the solvent.

Ignition temperature: 350 °C
Information applies to the solvent.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Explosion hazard: Based on the chemical structure there is no indicating of explosive properties.

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

Vapour pressure: approx. 5100 hPa
(20 °C)
Information applies to the solvent.

Density: approx. 1.00 g/cm³
(20 °C)

Relative vapour density (air): not applicable

Solubility in water: dispersible
Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Partitioning coefficient n-octanol/water (log Pow): -0.549
(25 °C)

Viscosity, dynamic: approx. 2.34 mPa.s
(20 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:
LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 425)
No mortality was observed.

LC50 rat (by inhalation): > 5.09 mg/l 4 h (OECD Guideline 403)
No mortality was observed.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Irritation

Assessment of irritating effects:
Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:
Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:
Buehler test guinea pig: (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity**Assessment of reproduction toxicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: acetone**Assessment of reproduction toxicity:**

As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.

Developmental toxicity**Assessment of teratogenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):**Assessment of STOT single:**

Possible narcotic effects (drowsiness or dizziness).

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**Assessment of repeated dose toxicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: acetone**Assessment of repeated dose toxicity:**

The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Aspiration hazard**No aspiration hazard expected.**

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

Has a degreasing effect on skin.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Oncorhynchus mykiss*

LC50 (96 h) > 100 mg/l, *Cyprinus carpio*

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic invertebrates:

EC50 (48 h) > 1,000 mg/l, *Daphnia magna*

EC50 (96 h) 0.79 mg/l, *Mysidopsis bahia*

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic plants:

EC50 (72 h) 97.6 mg/l (biomass), *Pseudokirchneriella subcapitata*

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Chronic toxicity to aquatic invertebrates:

No observed effect concentration, 0.089 mg/l, *Mysidopsis bahia*

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

BASF Safety data sheet
Date / Revised: 24.07.2018
Product: **Seclira Pressurised Fly Bait**

Version: 1.0

(30679970/SDS_CPA_AU/EN)

Date of print 25.07.2018

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Assessment biodegradation and elimination (H₂O):
Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

ID number: UN 1950
Transport hazard class(es): 2.1
Proper shipping name: AEROSOLS (contains DIMETHYLETHER,
ACETONE/DIMETHYLKETONE)

Further information

IERG Number:49

Sea transport

IMDG

ID number: UN 1950
Transport hazard class(es): 2.1
Marine pollutant: NO

BASF Safety data sheet
Date / Revised: 24.07.2018
Product: **Seclira Pressurised Fly Bait**

Version: 1.0

(30679970/SDS_CPA_AU/EN)

Date of print 25.07.2018

Proper shipping name: AEROSOLS (contains DIMETHYLETHER,
ACETONE/DIMETHYLKETONE)

Air transport

IATA/ICAO

ID number: UN 1950

Transport hazard class(es): 2.1

Proper shipping name: AEROSOLS, FLAMMABLE

15. Regulatory Information**Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

APVMA Approval Number: 83016

Registration status:

AICS, AU released w/o restriction f. BASF / not listed

16. Other Information

Recommended use: insecticide

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.